

SUN YEH (See General Notes and Footnotes on Page 15)		AC DIGITAL POSITIONERS						DC DIGITAL POSITIONERS			
		STANDARD						STANDARD			
		Command Signal 4-20mA / 0-10V / 0-5V / 1-5V 0-135 ohm Slide Wire (add XMA-108) Modbus (Modbus Feedback Signal only)						Command Signal 4-20mA / 0-10V / 2-10V / 0-5V / 1-5V 0-135 ohm Slide Wire (add XMA-108) Modbus (Modbus Feedback Signal only)			
Actuator Model	Power Source	Feedback Signal None	Feedback Signal mA VDC	Feedback Signal mA VDC Aux Close Aux Open Fault Relays	Feedback Signal 4-20mA (2-wire) Isolated	Feedback Signal 4-20mA (2-wire) Isolated Aux Close Aux Open Fault Relays	Feedback Signal Modbus	Feedback Signal None	Feedback Signal 4-20mA (2-wire) Isolated	Feedback Signal 4-20mA (2-wire) Isolated Aux Close Aux Open Fault Relays	Feedback Signal Modbus
		Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts
OM-2 OM-3	12VDC	_____	_____	_____	_____	_____	_____	DHC-400 MKT-167 POT-102	DHC-400 MKT-167 POT-102 OTX-101	DHC-400 MKT-167 POT-102 OTR-101	DHC-400 MKT-167 POT-102 OCM-102
	24VDC	_____	_____	_____	_____	_____	_____	DHC-400 MKT-167 POT-102	DHC-400 MKT-167 POT-102 OTX-101	DHC-400 MKT-167 POT-102 OTR-101	DHC-400 MKT-167 POT-102 OCM-102
	24VAC (Order 24VDC Motor)	DHC-100B ADM-100 MKT-167 POT-102	DHC-100B ADM-100 MKT-167 POT-102 OTX-100	DHC-100B ADM-100 MKT-167 POT-102 OTR-100	DHC-100B ADM-100 MKT-167 POT-102 OTX-101	DHC-100B ADM-100 MKT-167 POT-102 OTR-101	DHC-100B ADM-100 MKT-167 POT-102 OCM-102	_____	_____	_____	_____
	120VAC	DHC-100 MKT-167 POT-102	DHC-100 MKT-167 POT-102 OTX-100	DHC-100 MKT-167 POT-102 OTR-100	DHC-100 MKT-167 POT-102 OTX-101	DHC-100 MKT-167 POT-102 OTR-101	DHC-100 MKT-167 POT-102 OCM-102	_____	_____	_____	_____
	240VAC	DHC-100A MKT-167 POT-102	DHC-100A MKT-167 POT-102 OTX-100	DHC-100A MKT-167 POT-102 OTR-100	DHC-100A MKT-167 POT-102 OTX-101	DHC-100A MKT-167 POT-102 OTR-101	DHC-100A MKT-167 POT-102 OCM-102	_____	_____	_____	_____

SUN YEH <i>(See General Notes and Footnotes on Page 15)</i>		AC ANALOG POSITIONERS												
		STANDARD						MINIATURE						
		Command Signal 4-20mA / 0-10V / 0-5V / 1-5V			Command Signal 4-20mA / 0-10V / 0-5V / 1-5V with Repeat Cycle Timer			Command Signal 4-20mA / 0-10V / 0-5V / 1-5V			Command Signal 4-20mA / 0-10V / 0-5V / 1-5V with Repeat Cycle Timer			
Actuator Model	Power Source	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal 0-5V 0-10V	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal 0-5V 0-10V	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal 0-5V 0-10V	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal 0-5V 0-10V	
		Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	
OM-2 OM-3	12VDC	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	
	24VDC	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	
	24VAC (Order 24VDC Motor)	AMC-101E ADM-100 MKT-167 POT-102	AMC-101E ADM-100 MKT-167 POT-102 XMA-105	AMC-101E ADM-100 MKT-167 POT-102 XMA-106	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	120VAC	AMC-100A MKT-167 POT-102	AMC-100A MKT-167 POT-102 XMA-105	AMC-100A MKT-167 POT-102 XMA-106	N/A	N/A	N/A	AMC-103 MKT-167 POT-102	AMC-103 MKT-167 POT-102 XMA-105	AMC-103 MKT-167 POT-102 XMA-106	N/A	N/A	N/A	
	240VAC	AMC-100C MKT-167 POT-102	AMC-100C MKT-167 POT-102 XMA-105	AMC-100C MKT-167 POT-102 XMA-106	N/A	N/A	N/A	AMC-103A MKT-167 POT-102	AMC-103A MKT-167 POT-102 XMA-105	AMC-103A MKT-167 POT-102 XMA-106	N/A	N/A	N/A	

SUN YEH <i>(See General Notes and Footnotes on Page 15)</i>		AC LOG RATE POSITIONERS			DC ANALOG POSITIONERS					
		STANDARD			STANDARD				MINIATURE	
		Command Signal 4-20mA / 0-10V / 0-5V / 1-5V 0-135 ohm Slide Wire (add XMA-104A)			Command Signal 4-20mA / 0-10V / 2-10V / 0-5V / 1-5V includes selectable Log Rate function 0-135 ohm Slide Wire (add XMA-104A)				Command Signal 4-20mA Only	
Actuator Model	Power Source	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal 0-5V 0-10V	without Current Trip		with Current Trip		without Current Trip	
					Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal None	Feedback Signal 4-20mA
		Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts
OM-2 OM-3	12VDC	_____	_____	_____	DMC-102 MKT-167 POT-102	DMC-102 MKT-167 POT-102 XMA-105 (1)	DMC-102A MKT-167 POT-102	DMC-102A MKT-167 POT-102 XMA-105 (1)	N/A	N/A
	24VDC	_____	_____	_____	DMC-102 MKT-167 POT-102	DMC-102 MKT-167 POT-102 XMA-105 (1)	DMC-102A MKT-167 POT-102	DMC-102A MKT-167 POT-102 XMA-105 (1)	N/A	N/A
	24VAC (Order 24VDC Motor)	LRC-101C,I ADM-100 MKT-167 POT-102	LRC-101C,I ADM-100 MKT-167 POT-102 XMA-105 (1)	LRC-101C,I ADM-100 MKT-167 POT-102 XMA-106 (1)	_____	_____	_____	_____	_____	_____
	120VAC	LRC-101A,G MKT-167 POT-102	LRC-101A,G MKT-167 POT-102 XMA-105 (1)	LRC-101A,G MKT-167 POT-102 XMA-106 (1)	_____	_____	_____	_____	_____	_____
	240VAC	LRC-101B,H MKT-167 POT-102	LRC-101B,H MKT-167 POT-102 XMA-105 (1)	LRC-101B,H MKT-167 POT-102 XMA-106 (1)	_____	_____	_____	_____	_____	_____

SUN YEH <i>(See General Notes and Footnotes on Page 15)</i>		ON/OFF APPLICATIONS					TIMER ONLY APPLICATIONS			
		STANDARD					AC or DC Motor Converter Module	AC Repeat Cycle Timers	MINIATURE	
		Control Signal 1.9-130VAC 2.4-130VDC with Repeat Cycle Timer			Control Signal Switch Relay Open Collector with Adjustable Current Trip				AC Sequence Timers	DC Sequence Timers
Actuator Model	Power Source	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal 0-5V 0-10V	Feedback Signal None	Feedback Signal 1-5mA	Order Parts	Order Parts	Order Parts	Order Parts
OM-2 OM-3	12VDC	_____	_____	_____	RCM-101D MKT-167	N/A	ADM-101	_____	_____	N/A
	24VDC	_____	_____	_____	RCM-101D MKT-167	N/A	ADM-100	_____	_____	N/A
	24VAC (Order 24VDC Motor)	AMI-103B ADM-100 MKT-167	AMI-103B ADM-100 MKT-167 POT-102 XMA-105	AMI-103B ADM-100 MKT-167 POT-102 XMA-106	_____	_____	ADM-100	ADM-100 RCT-101B	N/A	_____
	120VAC	AMI-103 MKT-167	AMI-103 MKT-167 POT-102 XMA-105	AMI-103 MKT-167 POT-102 XMA-106	_____	_____	_____	RCT-101	AST-100 MKT-167	_____
	240VAC	AMI-103A MKT-167	AMI-103A MKT-167 POT-102 XMA-105	AMI-103A MKT-167 POT-102 XMA-106	_____	_____	_____	RCT-101A	AST-100A MKT-167	_____

SUN YEH (See General Notes and Footnotes on Page 15)		FEEDBACK SIGNAL ONLY APPLICATIONS					
		1K Ohm Feedback Pot Only	4-20mA Feedback (2-wire)	4-20mA Feedback (3-wire)	4-20mA Feedback Powered	0-5V 0-10V Feedback (3-wire)	0-5V 0-10V Feedback Powered
		Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts
Actuator Model	Power Source						
OM-2 OM-3	12VDC	MKT-167 POT-102 (2)	MKT-167 POT-102 XMA-107	MKT-167 POT-102 XMA-105	_____	MKT-167 POT-102 XMA-106	_____
	24VDC	MKT-167 POT-102 (2)	MKT-167 POT-102 XMA-107	MKT-167 POT-102 XMA-105	_____	MKT-167 POT-102 XMA-106	_____
	24VAC (Order 24VDC Motor)	ADM-100 MKT-167 POT-102 (2)	ADM-100 MKT-167 POT-102 XMA-107	ADM-100 MKT-167 POT-102 XMA-105	N/A	ADM-100 MKT-167 POT-102 XMA-106	N/A
	120VAC	MKT-167 POT-102 (2)	MKT-167 POT-102 XMA-107	MKT-167 POT-102 XMA-105	MKT-167 POT-102 XMA-105 PWR-102	MKT-167 POT-102 XMA-106	MKT-167 POT-102 XMA-106 PWR-102
	240VAC	MKT-167 POT-102 (2)	MKT-167 POT-102 XMA-107	MKT-167 POT-102 XMA-105	MKT-167 POT-102 XMA-105 PWR-102A	MKT-167 POT-102 XMA-106	MKT-167 POT-102 XMA-106 PWR-102A

SUN YEH <i>(See General Notes and Footnotes on Page 15)</i>		AC DIGITAL POSITIONERS						DC DIGITAL POSITIONERS			
		STANDARD						STANDARD			
		Command Signal 4-20mA / 0-10V / 0-5V / 1-5V 0-135 ohm Slide Wire (add XMA-108) Modbus (Modbus Feedback Signal only)						Command Signal 4-20mA / 0-10V / 2-10V / 0-5V / 1-5V 0-135 ohm Slide Wire (add XMA-108) Modbus (Modbus Feedback Signal only)			
Actuator Model	Power Source	Feedback Signal None	Feedback Signal mA VDC	Feedback Signal mA VDC Aux Close Aux Open Fault Relays	Feedback Signal 4-20mA (2-wire) Isolated	Feedback Signal 4-20mA (2-wire) Isolated Aux Close Aux Open Fault Relays	Feedback Signal Modbus	Feedback Signal None	Feedback Signal 4-20mA (2-wire) Isolated	Feedback Signal 4-20mA (2-wire) Isolated Aux Close Aux Open Fault Relays	Feedback Signal Modbus
		Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts
OM-4 OM-5 OM-6	12VDC	_____	_____	_____	_____	_____	_____	DHC-400 MKT-181 POT-102	DHC-400 MKT-181 POT-102 OTX-101	DHC-400 MKT-181 POT-102 OTR-101	DHC-400 MKT-181 POT-102 OCM-102
	24VDC	_____	_____	_____	_____	_____	_____	DHC-400 MKT-181 POT-102	DHC-400 MKT-181 POT-102 OTX-101	DHC-400 MKT-181 POT-102 OTR-101	DHC-400 MKT-181 POT-102 OCM-102
	120VAC	DHC-100 MKT-181 POT-102	DHC-100 MKT-181 POT-102 OTX-100	DHC-100 MKT-181 POT-102 OTR-100	DHC-100 MKT-181 POT-102 OTX-101	DHC-100 MKT-181 POT-102 OTR-101	DHC-100 MKT-181 POT-102 OCM-102	_____	_____	_____	_____
	240VAC	DHC-100A MKT-181 POT-102	DHC-100A MKT-181 POT-102 OTX-100	DHC-100A MKT-181 POT-102 OTR-100	DHC-100A MKT-181 POT-102 OTX-101	DHC-100A MKT-181 POT-102 OTR-101	DHC-100A MKT-181 POT-102 OCM-102	_____	_____	_____	_____

SUN YEH <i>(See General Notes and Footnotes on Page 15)</i>		AC ANALOG POSITIONERS											
		STANDARD						MINIATURE					
		Command Signal 4-20mA / 0-10V / 0-5V / 1-5V			Command Signal 4-20mA / 0-10V / 0-5V / 1-5V with Repeat Cycle Timer			Command Signal 4-20mA / 0-10V / 0-5V / 1-5V			Command Signal 4-20mA / 0-10V / 0-5V / 1-5V with Repeat Cycle Timer		
Actuator Model	Power Source	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal 0-5V 0-10V	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal 0-5V 0-10V	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal 0-5V 0-10V	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal 0-5V 0-10V
		Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts
OM-4 OM-5 OM-6	12VDC	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
	24VDC	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
	120VAC	AMC-101A MKT-181 POT-102	AMC-101A MKT-181 POT-102 XMA-105	AMC-101A MKT-181 POT-102 XMA-106	AMC-101A MKT-181 POT-102 RCT-101	AMC-101A MKT-181 POT-102 XMA-105 RCT-101	AMC-101A MKT-181 POT-102 XMA-106 RCT-101	AMC-103 MKT-181 POT-102	AMC-103 MKT-181 POT-102 XMA-105	AMC-103 MKT-181 POT-102 XMA-106	AMC-103 MKT-181 POT-102 RCT-101	AMC-103 MKT-181 POT-102 XMA-105 RCT-101	AMC-103 MKT-181 POT-102 XMA-106 RCT-101
	240VAC	AMC-101C MKT-181 POT-102	AMC-101C MKT-181 POT-102 XMA-105	AMC-101C MKT-181 POT-102 XMA-106	AMC-101C MKT-181 POT-102 RCT-101A	AMC-101C MKT-181 POT-102 XMA-105 RCT-101A	AMC-101C MKT-181 POT-102 XMA-106 RCT-101A	AMC-103A MKT-181 POT-102	AMC-103A MKT-181 POT-102 XMA-105	AMC-103A MKT-181 POT-102 XMA-106	AMC-103A MKT-181 POT-102 RCT-101A	AMC-103A MKT-181 POT-102 XMA-105 RCT-101A	AMC-103A MKT-181 POT-102 XMA-106 RCT-101A

SUN YEH <i>(See General Notes and Footnotes on Page 15)</i>		AC LOG RATE POSITIONERS			DC ANALOG POSITIONERS					
		STANDARD			STANDARD				MINIATURE	
		Command Signal 4-20mA / 0-10V / 0-5V / 1-5V 0-135 ohm Slide Wire (add XMA-104A)			Command Signal 4-20mA / 0-10V / 2-10V / 0-5V / 1-5V includes selectable Log Rate function 0-135 ohm Slide Wire (add XMA-104A)				Command Signal 4-20mA Only	
Actuator Model	Power Source	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal 0-5V 0-10V	without Current Trip		with Current Trip		without Current Trip	
					Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal None	Feedback Signal 4-20mA
		Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts
OM-4 OM-5 OM-6	12VDC	_____	_____	_____	DMC-102 MKT-181 POT-102	DMC-102 MKT-181 POT-102 XMA-105 (1)	DMC-102A MKT-181 POT-102	DMC-102A MKT-181 POT-102 XMA-105 (1)	N/A	N/A
	24VDC	_____	_____	_____	DMC-102 MKT-181 POT-102	DMC-102 MKT-181 POT-102 XMA-105 (1)	DMC-102A MKT-181 POT-102	DMC-102A MKT-181 POT-102 XMA-105 (1)	N/A	N/A
	120VAC	LRC-101A,G MKT-181 POT-102	LRC-101A,G MKT-181 POT-102 XMA-105 (1)	LRC-101A,G MKT-181 POT-102 XMA-106 (1)	_____	_____	_____	_____	_____	_____
	240VAC	LRC-101B,H MKT-181 POT-102	LRC-101B,H MKT-181 POT-102 XMA-105 (1)	LRC-101B,H MKT-181 POT-102 XMA-106 (1)	_____	_____	_____	_____	_____	_____

SUN YEH <i>(See General Notes and Footnotes on Page 15)</i>		ON/OFF APPLICATIONS					TIMER ONLY APPLICATIONS			
		STANDARD					AC or DC Motor Converter Module	AC Repeat Cycle Timers	MINIATURE	
		Control Signal 1.9-130VAC 2.4-130VDC with Repeat Cycle Timer			Control Signal Switch Relay Open Collector with Adjustable Current Trip				AC Sequence Timers	DC Sequence Timers
Actuator Model	Power Source	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal 0-5V 0-10V	Feedback Signal None	Feedback Signal 1-5mA	Order Parts	Order Parts	Order Parts	Order Parts
OM-4 OM-5 OM-6	12VDC	_____	_____	_____	N/A	N/A	_____	_____	_____	N/A
	24VDC	_____	_____	_____	N/A	N/A	_____	_____	_____	N/A
	120VAC	AMI-103 MKT-181	AMI-103 MKT-181 POT-102 XMA-105	AMI-103 MKT-181 POT-102 XMA-106	_____	_____	_____	RCT-101	AST-100 MKT-181	_____
	240VAC	AMI-103A MKT-181	AMI-103A MKT-181 POT-102 XMA-105	AMI-103A MKT-181 POT-102 XMA-106	_____	_____	_____	RCT-101A	AST-100A MKT-181	_____

SUN YEH (See General Notes and Footnotes on Page 15)		FEEDBACK SIGNAL ONLY APPLICATIONS					
		1K Ohm Feedback Pot Only	4-20mA Feedback (2-wire)	4-20mA Feedback (3-wire)	4-20mA Feedback Powered	0-5V 0-10V Feedback (3-wire)	0-5V 0-10V Feedback Powered
		Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts
Actuator Model	Power Source						
OM-4 OM-5 OM-6	12VDC	MKT-181 POT-102 (2)	MKT-181 POT-102 XMA-107	MKT-181 POT-102 XMA-105	_____	MKT-181 POT-102 XMA-106	_____
	24VDC	MKT-181 POT-102 (2)	MKT-181 POT-102 XMA-107	MKT-181 POT-102 XMA-105	_____	MKT-181 POT-102 XMA-106	_____
	120VAC	MKT-181 POT-102 (2)	MKT-181 POT-102 XMA-107	MKT-181 POT-102 XMA-105	MKT-181 POT-102 XMA-105 PWR-102	MKT-181 POT-102 XMA-106	MKT-181 POT-102 XMA-106 PWR-102
	240VAC	MKT-181 POT-102 (2)	MKT-181 POT-102 XMA-107	MKT-181 POT-102 XMA-105	MKT-181 POT-102 XMA-105 PWR-102A	MKT-181 POT-102 XMA-106	MKT-181 POT-102 XMA-106 PWR-102A

SUN YEH <i>(See General Notes and Footnotes on Page 15)</i>		AC DIGITAL POSITIONERS						DC DIGITAL POSITIONERS			
		STANDARD						STANDARD			
		Command Signal 4-20mA / 0-10V / 0-5V / 1-5V 0-135 ohm Slide Wire (add XMA-108) Modbus (Modbus Feedback Signal only)						Command Signal 4-20mA / 0-10V / 2-10V / 0-5V / 1-5V 0-135 ohm Slide Wire (add XMA-108) Modbus (Modbus Feedback Signal only)			
Actuator Model	Power Source	Feedback Signal None	Feedback Signal mA VDC	Feedback Signal mA VDC Aux Close Aux Open Fault Relays	Feedback Signal 4-20mA (2-wire) Isolated	Feedback Signal 4-20mA (2-wire) Isolated Aux Close Aux Open Fault Relays	Feedback Signal Modbus	Feedback Signal None	Feedback Signal 4-20mA (2-wire) Isolated	Feedback Signal 4-20mA (2-wire) Isolated Aux Close Aux Open Fault Relays	Feedback Signal Modbus
		Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts
OM-7 OM-8	24VDC	_____	_____	_____	_____	_____	_____	DHC-400 MKT-190 POT-102	DHC-400 MKT-190 POT-102 OTX-101	DHC-400 MKT-190 POT-102 OTR-101	DHC-400 MKT-190 POT-102 OCM-102
	120VAC	DHC-100 MKT-190 POT-102	DHC-100 MKT-190 POT-102 OTX-100	DHC-100 MKT-190 POT-102 OTR-100	DHC-100 MKT-190 POT-102 OTX-101	DHC-100 MKT-190 POT-102 OTR-101	DHC-100 MKT-190 POT-102 OCM-102	_____	_____	_____	_____
	240VAC	DHC-100A MKT-190 POT-102	DHC-100A MKT-190 POT-102 OTX-100	DHC-100A MKT-190 POT-102 OTR-100	DHC-100A MKT-190 POT-102 OTX-101	DHC-100A MKT-190 POT-102 OTR-101	DHC-100A MKT-190 POT-102 OCM-102	_____	_____	_____	_____

SUN YEH <i>(See General Notes and Footnotes on Page 15)</i>		AC ANALOG POSITIONERS											
		STANDARD						MINIATURE					
		Command Signal 4-20mA / 0-10V / 0-5V / 1-5V			Command Signal 4-20mA / 0-10V / 0-5V / 1-5V with Repeat Cycle Timer			Command Signal 4-20mA / 0-10V / 0-5V / 1-5V			Command Signal 4-20mA / 0-10V / 0-5V / 1-5V with Repeat Cycle Timer		
Actuator Model	Power Source	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal 0-5V 0-10V	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal 0-5V 0-10V	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal 0-5V 0-10V	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal 0-5V 0-10V
		Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts
OM-7 OM-8	24VDC	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
	120VAC	AMC-101A MKT-190 POT-102	AMC-101A MKT-190 POT-102 XMA-105	AMC-101A MKT-190 POT-102 XMA-106	AMC-101A MKT-190 POT-102 RCT-101	AMC-101A MKT-190 POT-102 XMA-105 RCT-101	AMC-101A MKT-190 POT-102 XMA-106 RCT-101	NA	NA	NA	NA	NA	NA
	240VAC	AMC-101C MKT-190 POT-102	AMC-101C MKT-190 POT-102 XMA-105	AMC-101C MKT-190 POT-102 XMA-106	AMC-101C MKT-190 POT-102 RCT-101A	AMC-101C MKT-190 POT-102 XMA-105 RCT-101A	AMC-101C MKT-190 POT-102 XMA-106 RCT-101A	NA	NA	NA	NA	NA	NA

SUN YEH <i>(See General Notes and Footnotes on Page 15)</i>		AC LOG RATE POSITIONERS			DC ANALOG POSITIONERS					
		STANDARD			STANDARD				MINIATURE	
		Command Signal 4-20mA / 0-10V / 0-5V / 1-5V 0-135 ohm Slide Wire (add XMA-104A)			Command Signal 4-20mA / 0-10V / 2-10V / 0-5V / 1-5V includes selectable Log Rate function 0-135 ohm Slide Wire (add XMA-104A)				Command Signal 4-20mA Only	
Actuator Model	Power Source	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal 0-5V 0-10V	without Current Trip		with Current Trip		without Current Trip	
					Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal None	Feedback Signal 4-20mA
		Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts
OM-7 OM-8	24VDC	_____	_____	_____	DMC-102 MKT-190 POT-102	DMC-102 MKT-190 POT-102 XMA-105 (1)	DMC-102A MKT-190 POT-102	DMC-102A MKT-190 POT-102 XMA-105 (1)	N/A	N/A
	120VAC	LRC-101A,G MKT-190 POT-102	LRC-101A,G MKT-190 POT-102 XMA-105 (1)	LRC-101A,G MKT-190 POT-102 XMA-106 (1)	_____	_____	_____	_____	_____	_____
	240VAC	LRC-101B,H MKT-190 POT-102	LRC-101B,H MKT-190 POT-102 XMA-105 (1)	LRC-101B,H MKT-190 POT-102 XMA-106 (1)	_____	_____	_____	_____	_____	_____

SUN YEH <i>(See General Notes and Footnotes on Page 15)</i>		ON/OFF APPLICATIONS					TIMER ONLY APPLICATIONS			
		STANDARD					AC or DC Motor Converter Module	AC Repeat Cycle Timers	MINIATURE	
		Control Signal 1.9-130VAC 2.4-130VDC with Repeat Cycle Timer			Control Signal Switch Relay Open Collector with Adjustable Current Trip				AC Sequence Timers	DC Sequence Timers
Actuator Model	Power Source	Feedback Signal None	Feedback Signal 4-20mA	Feedback Signal 0-5V 0-10V	Feedback Signal None	Feedback Signal 1-5mA	Order Parts	Order Parts	Order Parts	Order Parts
	24VDC	_____	_____	_____	N/A	N/A	_____	_____	_____	N/A
OM-7 OM-8	120VAC	AMI-103 MKT-190	AMI-103 MKT-190 POT-102 XMA-105	AMI-103 MKT-190 POT-102 XMA-106	_____	_____	_____	RCT-101	N/A	_____
	240VAC	AMI-103A MKT-190	AMI-103A MKT-190 POT-102 XMA-105	AMI-103A MKT-190 POT-102 XMA-106	_____	_____	_____	RCT-101A	N/A	_____

SUN YEH <i>(See General Notes and Footnotes on Page 15)</i>		FEEDBACK SIGNAL ONLY APPLICATIONS					
		1K Ohm Feedback Pot Only	4-20mA Feedback (2-wire)	4-20mA Feedback (3-wire)	4-20mA Feedback Powered	0-5V 0-10V Feedback (3-wire)	0-5V 0-10V Feedback Powered
Actuator Model	Power Source	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts	Order Parts
OM-7 OM-8	24VDC	MKT-190 POT-102 (2)	MKT-190 POT-102 XMA-107	MKT-190 POT-102 XMA-105	_____	MKT-190 POT-102 XMA-106	_____
	120VAC	MKT-190 POT-102 (2)	MKT-190 POT-102 XMA-107	MKT-190 POT-102 XMA-105	MKT-190 POT-102 XMA-105 PWR-102	MKT-190 POT-102 XMA-106	MKT-190 POT-102 XMA-106 PWR-102
	240VAC	MKT-190 POT-102 (2)	MKT-190 POT-102 XMA-107	MKT-190 POT-102 XMA-105	MKT-190 POT-102 XMA-105 PWR-102A	MKT-190 POT-102 XMA-106	MKT-190 POT-102 XMA-106 PWR-102A

GENERAL NOTES

- A) MKT-167, MKT-181, and MKT-190 mounting kits allow (2) auxiliary cam switches to be added.
- B) Replace DHC-100A with DHC-100D for CE certification (see Declaration of Conformity 1001-6A).
- C) Use 30% duty cycle motors only for AC applications.

FOOTNOTES

- (1) XMA-104A must be mounted external to actuator.
- (2) Feedback potentiometer field connections are terminated via potentiometer wire pigtail.